



Power Reference amplifiers feature a striking wraparound LED accent beam which sets off the sleek sexy look. An all new cast aluminum chassis improves heat dissipation allowing them to play louder longer. PR amplifiers are the workhorse of the Memphis line with power and reliability at their core.



full range amps

PRXA700.5 5-CH 4 x 75(w) + 1 x 400 (w) @ 2Ω

PRXA300.4 4-CH 4 x 75(w) @ 2Ω

PRXA300.2 2-CH 2 x 150(w) @ 2Ω

mono amps

PRXA1500.1 1-CH 1 x 1500(w) @ 1Ω

PRXA1000.1 1-CH 1 x 1000(w) @ 1Ω

PRXA600.1 1-CH 1 x 600(w) @ 1Ω

features

- · Diecast aluminum heatsink
- Hidden top mounted control panel
- 12dB/octave Butterworth crossovers
- 1Ω stable (MONO Amps)
- · Signal sensing auto turn on
- · Short circuit protection
- Remote bass knob
- Input select switch (4/5 channel models)



Street Reference amplifiers are the ultimate combination of performance, aggressive style and value. These powerhouses are capable of pushing the envelope without breaking the bank. Street Reference is the perfect choice for any entry to mid-level system. These amplifiers feature a sleek black aluminum textured finish with a brilliant LED accent.











ull range amns

- Textured aluminum heatsink
- Selectable bass boost on all models
- Variable crossover network
- · Remote level control / bass knob (mono amps)
- · Ultra-bright LED accent light strip

full range amps

SRX150.2 2-CH 2 x 75w @ 2Ω **SRX300.4** 4-CH 4 x 75W @ 2Ω

mono amps

| SRX1200D.1 | 1-CH 1 x 1200w @ 1Ω |
|------------|---------------------|
| SRX750D.1 | 1-CH 1 x 750w @ 2Ω |
| SRX500D.1 | 1-CH 1 x 500w @ 2Ω |
| SRX250.1 | 1-CH 1 x 250w @ 2Ω |



Street Edge amplifiers were designed to be affordable without sacrificing performance. The stripped down styling of these amplifiers allowed Memphis to dedicate more efforts towards achieving solid performance with big power ratings while maintaining an affordable price point.





SE2000.10F





full range amps

(N) MEMPHIS

SE1200.4 4-CH 4 x 75(w) @ 2Ω

mono amps

SE2000.1DF 1-CH 1 x 500(w) @ 1Ω


features

- Extruded Aluminum Heatsink
- Variable Crossovers
- · Remote Bass Knob (Mono)
- Subsonic Filter (Mono)

| | | | | | | | | | 4 1 0 0 | |
|-----------------|---------------------|---------------------|------------------------|----------------------------------|----------|------------------------------|------------------------------|----------------------------------|----------------|------------|
| MODEL # | RMS POWER 4Ω (w) | RMS POWER 2Ω (w) | RMS POWER 1Ω (w) | BRIDGED/ MONO POWER 4Ω (w) | THD% 4Ω | FREQUENCY RESPONSE | DIMENSIONS L x W x H (In) | WARRANTY (Yrs) EXTENDED (Y/N) | INPUT RANGE | AMP KIT |
| POWER REFERENCE | | | | | | | | | | |
| PRXA700.5 | 50 x 4 + 200 x 1 | 75 x 4 + 400 x 1 | - | 140 x 2 + N/A | <1% | 20Hz - 20kHz 20Hz - 180Hz | 16.1 x 7.5 x 2.1 | 1Y | 200mV - 6V | 4GKIT |
| PRXA300.4 | 50 x 4 | 75 x 4 | - | 150 x 2 | <1% | 20Hz - 20kHz | 13.2 x 7.5 x 2.1 | 1 Y | 200mV - 6V | 8GKIT |
| PRXA300.2 | 100 x 2 | 150 x 2 | - | 300 x 1 | <1% | 20Hz - 180Hz | 13.2 x 7.5 x 2.1 | 1 Y | 200mV - 6V | 8GKIT |
| PRXA1500.1 | 700 x 1 | 1000 x 1 | 1500 x 1 | - | <1% | 20Hz - 20kHz | 16.1 x 7.5 x 2.1 | 1 Y | 200mV - 6V | 0GKIT |
| PRXA1000.1 | 400 x 1 | 750 x 1 | 1000 x 1 | - | <1% | 20Hz - 180Hz | 13.2 x 7.5 x 2.1 | 1 Y | 200mV - 6V | 4GKIT |
| PRXA600.1 | 250 x 1 | 400 x 1 | 600 x 1 | - | <1% | 20HZ - 180Hz | 11 x 7.5 x 2.1 | 1 Y | 200mV - 6V | 4GKIT |
| | | | | STRE | ET REFE | RENCE | | | | |
| SRX300.4 | 50 x 4 | 75 x 4 | - | 150 x 2 | <1% | 20HZ - 20KHz | 13.4 x 7.8 x 2 | 1 N | 110mV - 5.5V | 8GKIT |
| SRX150.2 | 50 x 2 | 75 x 2 | - | 150 x 1 | <1% | 20HZ - 20kHz | 9.3 x 7.8 x 2 | 1 N | 110mV - 5.5V | 10GKIT |
| SRX1200D.1 | 300 x 1 | 600 x 1 | 1200 x 1 | - | <1% | 30Hz - 250Hz | 11.8 x 7.8 x 2 | 1 N | 120mV - 6.1V | 4GKIT |
| SRX750D.1 | 400 x 1 | 750 x 1 | - | - | <1% | 30Hz - 250Hz | 11 x 7.8 x 2 | 1 N | 120mV - 6.1V | 4GKIT |
| SRX500D.1 | 350 x 1 | 500 x1 | - | - | <1% | 30Hz - 20kHz | 9.2 x 7.8 x 2 | 1 N | 110mV - 5.5V | 4GKIT |
| SRX250.1 | 150 x 1 | 250 x1 | - | - | <1% | 30Hz - 250Hz | 10.4 x 7.8 x 2 | 1 N | 110mV - 5.5V | 8GKIT |
| | | | | S1 | REET E | OGE | | | | |
| SE1200.4 | 50 x 4 | 75 x 4 | - | 150 x 2 | <1% | 20Hz - 20kHz | 13.98 x 7.59 x 2.08 | 1 N | 200mV -8V | 8GKIT |
| SE2000.1DF | 200 x 1 | 350 x 1 | 500 x 1 | - | <1% | 20Hz - 250Hz | 11.92 x 7.59 x 2.08 | 1 N | 200mV - 8V | 8GKIT |
| | | | | MEMPH | IS XTREM | ME AUDIO | | | | |
| MXA850.5M | 60 x 4 + 175 x 1 | 100 x 4 + 300 x 1 | 450 x 1 | 200 x 2 + N/A | <1% | 10Hz - 45kHz | 13.4 x 6.1 x 2.2 | 2 Y | 110mV - 8V | 4GKIT |
| MXA480.4M | 80 x 4 | 120w x 4 | - | 240 x 2 | <1% | 10Hz - 40kHz | 10.2 x 6.1 x 2.2 | 2 Y | 100mV - 6V | 8GKIT |
| MXA600.1M | 250 x 1 | 400 x 1 | 600 x 1 | - | <1% | 17Hz - 250Hz | 10.2 x 6.1 x 2.2 | 2 Y | 100mV - 5.5V | 4GKIT |
| MXA5.600 | 50 x 4 | 75 x 4 + 300 x 1 | - | 150 x 2 + N/A | <1% | 20Hz - 20kHz | 11.4 x 4 x 1.7 | 2 Y | 150mV - 7.3V | 8GKIT |
| MXA600.4 | 130 x 4 | 150 x 4 | - | 300 x 2 | <1% | 20HZ - 20kHz | 8.25 x 4.33 x 1.75 | 2 Y | 300mV - 8.5V | 8GKIT |
| MXA300.4 | 65 x 4 | 75 x 4 | - | 150 x 2 | <1% | 20Hz - 20kHz | 8.625 x 3.25 x 1.75 | 2 Y | 300mV - 9V | 8GKIT |
| MXA300.2 | 115 x 2 | 150 x 2 | | 300 x 1 | <1% | 20Hz - 20kHz | 8.625 x 3.25 x 1.75 | 2 Y | 330mV - 9V | 8GKIT |
| MXA300.1 | 190 x 1 | 300 x 1 | | | | 19Hz - 280Hz | 8.625 x 3.25 x 1.75 | 2 Y | 350mV - 11V | 8GKIT |
| MXA100.2S | 25 x 2 | - | - | - | <1% | 60Hz - 20kHz | 4.2 x 3.2 x 1.5 | 2 Y | 200mV - 2V | 10GKIT |
| MXA200.4S | 25 x 4 | - | - | - | <1% | 60Hz - 20kHz | 4.8 x 3.2 x 1.5 | 2 Y | 200mV - 2V | 10GKIT |

SPECT YOUR MUSIC WAS AUDIO





Dual Layer Composite Fiber Cone

Unique lightweight cone material is extremely rigid resulting in fast response time and the ability to handle great amounts of power.

Dual Layer Precision Coil Windings

The larger diameter voice coil allows for the precise number of windings to be arranged in 2 layers versus 4. Dual layer coils have lower inductance and cool significantly faster than 4 layer coils. The result is a flatter frequency response and more distortion free output

Folded Surround

Our folded surround design allows for increased excursion without sacrificing effective cone surface area resulting in more output compared to traditional surround designs

7.5" Shorting Ring

The shorting ring absorbs eddy current which act as a counter force when the coil is moving through the magnet gap. Reducing this results in lower distortion.

7.5" Voice Coil

No other subwoofer on the market features a massive 7.5" voice coil. This unique design allows the VIV subwoofer to push the limits of sound quality while still handling immense amounts of power.

320 Oz Magnet

This massive magnet was developed to work in harmony with the oversized voice coil to generate unprecedented levels of magnetic force producing low frequencies unrivaled by the competition with minimal distortion.

DVVC Direct Vent Voice Coil Cooling

A cooler voice coil is a more efficient voice coil. The DVVC cooling system positions the vents directly below the coil allowing heat to dissipate faster than traditional venting allowing the subwoofer to play louder, longer.



The VIV1422 14" subwoofer is capable of handling and absurd 2200w RMS power with an exceptionally flat frequency response. The VIV1422 is the best of both worlds, high power and amazing sound quality. The massive 7.5" dual layer voice coil combined with the DVVC (Direct Vent Voice Coil) cooling dissipates the heat generated at high power. The unique folded surround was engineered to allow extreme excursion without sacrificing effective surface area.







features

- Massive 7.5" voice coil
- 7.5" shorting ring for reduced distortion
- Dual layer VC for reduced inductance and linear frequency response
- Folded surround for increased excursion without sacrificing effective surface area
- · DVVC Direct Vent Voice Coil Cooling
- · Stitched V-Groove surround

sixfive series sub

VIV1422

14" 2Ω DVC 2200/4400w



MOJO6 Subwoofers have earned the respect of the audio industry through raw performance that makes bass heads smile. MOJO subwoofers were designed to handle extreme power and produce thunderous bass.



MOJO subs

 MOJO615D4
 15" 4Ω DVC 2200/4400w

 MOJO615D2
 15" 2Ω DVC 2200/4400w

 MOJO612D4
 12" 4Ω DVC 1500/3000w

 MOJO612D2
 12" 2Ω DVC 1500/3000w

 Optional Grills: 15" - MG15 // 12" - BRMG12

Vented cast aluminum basket

- · Fiberglass reinforced cone
- Double stitched rubber surround
- · Reinforced double spider
- Heat dissipating aluminum heatsink
- Single sided terminal block
- 4-layer CCAW 3.5"voice coil
- 235oz Magnet (12" & 15") 220oz Magnet (10")



Harness the power of MOJO Subwoofers in a new compact package! The look, feel and power of MOJO subwoofers is now available in compact 8" and 6.5" versions opening a whole new world of possibilities for Memphis MOJO applications. Want to add Mini Mojo bass without custom fabrication? Check out the all new Mini Mojo loaded enclosures.







features

- Vented cast aluminum basket
- · Fiberglass reinforced cone
- · Stitched foam surround
- Heat dissipating aluminum heat sink
- 4-layer copper 2" voice coil (1.5" on MJM622/44)
- DVVC Direct Vent Voice Coil Cooling

mojo mini subs

| MJM844 | 8" 4Ω DVC 900W/1800W |
|--------|------------------------|
| MJM822 | 8" 2Ω DVC 900W/1800W |
| MJM644 | 6.5" 4Ω DVC 700w/1400w |
| MJM622 | 6.5" 2Ω DVC 700w/1400w |



M6 Subwoofers take a hint from their big brother the MOJO in terms of providing impressive bass. Although M6 can bang with the best of them, it also effortlessly produces warm accurate bass notes for an exceptional listening experience. When power handling and great sound quality are a factor, you can count on M6 to deliver.



M6 subs

| M615D4 | 15" 4Ω DVC 900/1800w |
|--------|----------------------|
| M615D2 | 15" 2Ω DVC 900/1800w |
| M612D4 | 12" 4Ω DVC 700/1400w |
| M612D2 | 12" 2Ω DVC 700/1400w |
| M610D4 | 10" 4Ω DVC 500/1000w |
| M610D2 | 10" 2Ω DVC 500/1000w |

Optional Grills: 15" - MG15 // 12" - BRMG12 // 10" - BRMG10

features

- Vented cast aluminum basket
- 2.5" wet wound voice coil
- 120oz Magnet
- Fiberglass reinforced cone
- Double stitched rubber surround
- Reinforced spider
- Single sided terminal block



Memphis MB subwoofers feature a proprietary dual-impedance voice coil design and jumpers to configure the impedance of the woofer to a true 2Ω or 4Ω impedance without sacrificing output. This unique design allows systems to be scalable making upgrading from a single sub to a dual sub set up simple without the need to replace the subwoofer.





features

- Selectable impedance design 2Ω or 4Ω (Patent pending)
- Ultra-light Aluminum voice coil for increased sensitivity and more output
- · Folded surround for max excursion without sacrificing surface area
- Reinforced double stitched rubber surround
- Polypropylene dust cap
- Woven tinsel leads
- 2" 4 layer aluminum Dual Impedance voice coil 10"/12"/15", 1.5" on 8"
- DVVC Direct Vented Voice Coil Cooling

mb subwoofer

 MB1524
 15" 2Ω/4Ω Dual Impedance 500/1000w

 MB1224
 12" 2Ω/4Ω Dual Impedance 500/1000w

 MB1024
 10" 2Ω/4Ω Dual Impedance 500/1000w

 MB824
 8" 2Ω/4Ω Dual Impedance 300/600w

Optional Grills:

15" - MG15 // 12" - BRMG12 // 10" - BRMG10 // 8" - BRG8



Power Reference subwoofers are the workhorse of the Memphis line. Proven performance is the reason PR subs are our best selling subwoofer. Outfitted in a black-on-black two-tone color scheme, these subwoofers look as good as they perform. With sizes ranging from 6.5" to 15", PR subwoofers have a solution to fit all your needs.











power reference subs

PRX1544 15" 4Ω DVC 350/700w PRX154 15" 4Ω SVC 350/700w PRX1244 12" 4Ω DVC 300/600w PRX124 12" 4Ω SVC 300/600w 10" 4Ω DVC 250/500w PRX1044 **PRX104** 10" 4Ω SVC 250/500w 8" 4Ω DVC 200/400w PRX8D4 PRX8S4 8" 4Ω SVC 200/400w PRX6D2 6.5" 2Ω DVC 150/300w

Optional Grills: 15" - PRXG15 // 12" - PRXG12 10" - PRXG10 // 8" - PRXG8 // 6.5" - PRXG6

features

- Black on black polypropylene cone
- Double Stitched butyl rubber surround
- Reinforced spider shoulder
- · Improved suspension and coil design
- Woven tinsel leads
- High temperature TIL voice coil former
- Upgraded voice coil size to 2.5" on PRX15



Slim subs just got a whole lot better. The new PRXS shallow subwoofers don't just share a family look with Power Reference, they bring the same reliable and powerful bass as their full sized counterparts. Capable of handling 350w RMS power with a mounting depth of only 3", these subwoofers are the real deal and will bring big Memphis bass to any space.











features

- Ultra-slim 3" mounting depth
- · Injected poly dust cap and cone with PR family appearance
- Heavy duty stamped basket
- Rubber surround
- Improved sensitivity and low end response over previous slim subwoofer offerings
- 45oz magnet
- DVVC Direct Vent Voice Coil Cooling
- · Improved design for output and clarity
- Increased magnet size on 12" models
- Now featured in PRXS112SP & PRXS110E.

pr slim subs

 PRXS1244
 12" 4Ω DVC 350/700w

 PRXS1240
 12" 4Ω SVC 350/700w

 PRXS1044
 12" 4Ω DVC 350/700w

 PRXS1040
 10" 4Ω SVC 350/700w

Optional Grills: 12" - PRXG12 // 10" - PRXG10



Whether it is your first system or you just need a little more bass in your trunk, the Street Reference line is the ultimate value subwoofer on the market. SR subs are indistinguishable from their predecessors with improved performance, durability and cosmetics making them an ideal solution for an audio upgrade..





street reference subs

 SRX1240
 12" 4Ω SVC 250/500w

 SRX1244
 12" 4Ω DVC 250/500w

 SRX1040
 10" 4Ω SVC 200/400w

 SRX1044
 10" 4Ω DVC 200/400w

 Optional Grills: 12" - PRXG12 // 10" - PRXG10

foaturos

- Polypropylene cone for improved durability
- · Lightweight but rigid cone design for improved efficiency
- · Rubber surround for improved durability
- Progressive poly cotton spider for controlled motion resulting in lower distortion
- Optimized for both sealed and vented enclosures
- · Anodized aluminum voice coil former
- 12 AWG compression terminals



The unmatched performance and value of SR subwoofers has expanded to bring big bass to any space. Street Reference slim subwoofers feature a mounting depth of well under 4" and handle an impressive 500W peak power. Get the perfect bass upgrade quickly in any application with Street Reference shallow mount subwoofers.





features

- Polypropylene cone for improved durability
- Rubber surround
- Progressive poly cotton spider for controlled motion resulting in lower distortion
- Sub cone design for greater efficiency
- Works well with both sealed or ported enclosures
- Anodized aluminum voice coil former
- 12 AWG compression terminals
- Now featured in SRXS112SP Bass Packages

sr slim subs

 SRXS1244
 12" 4Ω DVC 250/500w

 SRXS1240
 12" 4Ω SVC 250/500w

 SRXS1044
 10" 4Ω DVC 250/500w

 SRXS1040
 10" 4Ω SVC 250/500w

Optional Grills: 12" - PRXG12 // 10" - PRXG10



Street Edge subwoofers represent the ultimate budget friendly subwoofer on the market. When you need a subwoofer designed to get the job done that is easy on the pocketbook, the Street Edge line is an exceptional choice.





SE1040

SE1240

street edge subs

SE1240 12" 4Ω SVC 200/400w

SE1040 10" 4Ω SVC 200/400w

Optional Grills: 12" - PRXG12 // 10" - PRXG10

features

- Polypropylene SE branded cone
- Rubber surround
- 1.5" copper voice coil
- 27oz magnet
- Budget friendly option to bring bass to any vehicle
- DVVC Direct Vent Voice Coil Cooling

| | | | | | | | | - NowERSPO | | | |
|--------------|------------|--------------|------------------|---------------------|------------------------|-------------------|------------------|----------------------------|----|--|--|
| MODEL NUMBER | SIZE | RMS/PEAK (w) | Sensitivity (dB) | Magnet Size (Oz) | Mounting Depth (In) | Cut Out Diam (In) | VC Diameter (In) | Warranty Extended (Y/N) | | | |
| | | | VI | V SIXFIVE | SERIES | | | | ŀ | | |
| VIV1422 | 14 | 2200/4400 | 86.5 | 320 | 9.45 | 13.19 | 7.5 | 1N | | | |
| | МОЈО | | | | | | | | | | |
| MOJO615D2/D4 | 15 | 2200/4400 | 86 | 235 | 9.44 | 14.01 | 3.5 | 1 N | | | |
| MOJO612D2/D4 | 12 | 1500/3000 | 82 | 235 | 8.58 | 10.7 | 3.5 | 1 N | 3 | | |
| MJM822/44 | 8 | 900/1800 | 82 | 105 | 5.75 | 7.32 | 2 | 1 N | | | |
| MJM622/44 | 6.5 | 700/1400 | 82 | 80 | 5 | 5.95 | 1.5 | 1 N | , | | |
| | | | | M SERIES | M6 | | | | | | |
| M615D2/D4 | 15 | 900/1800 | 93 | 120 | 8.26 | 14.01 | 2.5 | 1 Y | | | |
| M612D2/D4 | 12 | 700/1400 | 82 | 120 | 7.32 | 10.7 | 2.5 | 1 Y | | | |
| M610D2/D4 | 10 | 500/1000 | 83 | 120 | 6.61 | 9.25 | 2.5 | 1 Y | \ | | |
| | | | | M SERIES | МВ | | | | | | |
| MB1524 | 15 | 500/1000 | 88 | 80 | 6.89 | 13.98 | 2 | 1 Y | IE | | |
| MB1224 | 12 | 500/1000 | 87 | 60 | 5.43 | 11.06 | 2 | 1 Y | E | | |
| MB1024 | 10 | 500/1000 | 85 | 60 | 5.14 | 9.17 | 2 | 1 Y | A | | |
| MB824 | 8 | 300/600 | 83 | 33 | 3.74 | 7.13 | 1.5 | 1 Y | ı | | |
| | | | РО | WER REFE | RENCE | | | | | | |
| PRX154/44 | 15 | 350/700 | 86 | 60 | 6.73 | 13.8 | 2.5 | 1 Y | | | |
| PRX124/44 | 12 | 300/600 | 86 | 60 | 5.54 | 11 | 2 | 1 Y | | | |
| PRX104/44 | 10 | 250/500 | 84 | 60 | 5.18 | 9.25 | 2 | 1 Y | | | |
| PRX8S4/D4 | 8 | 200/400 | 84 | 41 | 3.89 | 6.92 | 1.5 | 1 Y | | | |
| PRX6D2 | 6.5 | 150/300 | 82 | 41 | 3.11 | 5.67 | 1.4 | 1 Y | | | |
| | | | POWER | REFERENC | CE SHALLOV | V | | | ļ | | |
| PRXS1240/44 | 12 shallow | 350/700 | 84 | 50 | 3 | 11.02 | 2 | 1 N | | | |
| PRXS1040/44 | 10 shallow | 350/700 | 83 | 45 | 3 | 9.05 | 2 | 1 N | S | | |
| | | | STI | REET REFE | RENCE | | | | ı | | |
| SRX1240/44 | 12 | 250/500 | 85 | 30 | 4.92 | 11.10 | 2 | 1 N | | | |
| SRX1040/44 | 10 | 250/500 | 84 | 30 | 4.65 | 9.06 | 2 | 1 N | H | | |
| | | | STREET | REFERENC | CE SHALLOV | V | | | 0 | | |
| SRXS1240/44 | 12 shallow | 250/500 | 84 | 50 | 3.86 | 11.18 | 2 | 1 N | | | |
| SRXS1040/44 | 10 shallow | 250/500 | 84 | 40 | 3.30 | 9.22 | 2 | 1 N | b | | |
| | | | | STREET E | DGE | | | | | | |
| SE1240 | 12 | 200/400 | 87 | 27 | 5 | 11.03 | 1.5 | 1 N | | | |
| SE1040 | 10 | 200/400 | 86.5 | 27 | 4.7 | 9.14 | 1.5 | 1 N | | | |
| | | | MEMF | PHIS XTRE | ME AUDIO | | | | | | |
| MXA1244 | 12 | 250/500 | 87 | 48 | 4.95 | 11.2 | 2 | 1 N | | | |
| MXA1044 | 10 | 250/500 | 86 | 48 | 4.5 | 9.3 | 2 | 1 N | | | |
| | | | | | | | | | | | |



Add the high performance of Mojo Mini subwoofers to your vehicle in a convenient and stylish loaded enclosure. These ported enclosures feature an eye-catching high gloss piano finish front panel. The MJMED1T enclosure is designed specifically to fit behind most truck seats. Adding Mojo Mini performance to your vehicle has never been easier than with Mojo Mini loaded enclosures.











Single 8" 900w/1800w @ 1Ω loaded enclosure Width 20.7", Height 12.7", Top 13.7", Bottom 16.2" MJME8S1

Single 6.5" 700w/1400w @ 1Ω loaded enclosure Width 16.7" Height 10.7", Top 12.5", Bottom 15" MJME6S1

Dual 6.5" 1400w/2800w @ 1Ω loaded enclosure Width 30", Height 12.7", Top: 12.5", Bottom 15" MJME6D1

MJME6D1T

Dual 6.5" 1400w/2800w @ 1Ω loaded truck enclosure Width 34.6", Height 14.2", Top: 3.5" Bottom 7.5"

features

- Piano black gloss finished front panel (except MJME6D1T)
- Carpet wrapped enclosure
- 4-layer wound copper voice coil
- Fiberglass reinforced subwoofer cone
- Stitched foam surround
- Heat dissipating aluminum heat sink
- **DVVC Direct Vent Voice Coil Cooling**
- Ported Enclosure
- MJMED1T designed to fit behind standard truck seats
- All Mojo Mini Enclosures are @ 1Ω



Power Reference Loaded Enclosures were designed to maximize the performance of your Power Reference subwoofers. Each box was engineered by our technicians at Memphis to the exact T/S parameters of Power Reference subwoofers.







Side load port on all PRXE models





features

- 3/4" MDF Ported Enclosure
- Dado groove construction
- · Side loaded port
- · 2-tone embroidered carpeted exterior
- · High current nickel plated compression terminals
- 1Ω or 2Ω final load on dual sub models

loaded pr enclosures

| PRXE12D2 | Dual 12" 2Ω Encl 600/1200w Dimensions: 33.94" x 17.17" X 15.94" |
|----------|---|
| PRXE12D1 | Dual 12" 1Ω Encl 600/1200w Dimensions: 33.94" x 17.17" X 15.94" |
| PRXE10D2 | Dual 10" 2Ω Encl 500/1000w Dimensions: 31.96" x 15.47" x 13.93" |
| PRXE12S2 | Single 12" 2Ω Encl 300/600w Dimensions: 19.96" x 18.46" x 15.82" |
| PRXE10S2 | Single 10" 2Ω Encl 250/500w Dimensions: 17.95" x 15" x 13.93" |

Optional Grills: 15" - PRXG15 // 12" - PRXG12 // 10" - PRXG10



Memphis has a complete offering of slim solutions when space is a premium. The new improved Nanoboxx features a micro-thin profile allowing it to slide under practically any seat or trunk to bring big bass to any vehicle. Our new upgraded bass packages are available in two levels featuring our all new Power Reference slim subwoofers as well as Street Reference slim subwoofers for a solution that will meet everyone's needs.















slim bass systems & loaded enclosures

Nanoboxx Underseat Bass System

10" 200/400 Bass System 13.9" x 9.8" x 3.3" SA110SPD

MXA110SPD Same as above - with marine grade technology

Slim Powered Bass Systems

PRXS112SP

12" Power Reference 350w/700w Bass System 24.5" x 6.5" x 15.1"

SRXS112SP 12" Street Reference 250/500w Bass System 24.5"x 7.5" x 14.75"

Slim Loaded Enclosures (non powered)

PRXS110E

10" Power Reference 2Ω 350/700w Loaded Enc. 19.75" x 7.4" x 13"

features

Powered Slim Bass Systems

- Single 12" woofer
- Remote level control
- High/low level input
- Current sense auto turn-on
- All in one bass system
- Ported for maximum performance

Loaded Slim Enclosures (Non-Powered)

- 100% MDF enclosure
- Shallow box for versatile fit
- Ported for maximum performance

NANOBOXX Under Seat System

- Ultra compact design
- Oversized passive radiator
- Anodized aluminum enclosure
- Remote level control
- Efficient class-D amplifier built-in
- 0-12dB bass boost
- Low pass and subsonic filter



Street Reference Bass Packages were developed to provide big bass in a simple package. These packages are preloaded with SR amplifiers and the SR subwoofers. The ported enclosure provides exceptional bass output without breaking the bank. The SRX powered 8" bass tube, is a small but mighty tube can turn any trunk into the envy of the block.













features

Street Reference Bass Packages

- Woven tinsel leads
- 2" diameter heat treated aluminum Voice Coil
- 4 layer copper voice coil
- Slot port vented enclosure
- SRX112 includes SRX150.2 Amplifier
- SRX212 includes SRX250.1 Amplifier

Street Reference Bass Systems

- **Built in amplifier**
- Sealed design
- Embroidered carpet
- Bass level control included
- High and low level inputs

Street Reference Bass Tube

- Ported carpeted bass tube
- Integrated amplifier
- 8" high performance subwoofer
- Bass knob included
- High level RCA for easy integration
- Included placement straps for secure mounting

bass systems & enclosures

Street Reference Powered Bass Packages (Amplifier Included)

Dual 12" Bass System 500/1000w **SRX212** Dimensions: 31.75" x 15" x 15.75"

SRX112

Single 12" Bass System 250/500w

Dimensions: 16.75" x 15" x 15.75"

Street Reference Powered Bass Systems (Amplifier Built-In)

12" 250w/500w Bass System SRX12SP

dimensions: 20" x 12.2" x 15.35"

10" 250w/500w Bass System SRX10SP

Dimensions: 16.75" x 10.25" x 13.2"

8" 200w/400w Bass System SRX08SP

Dimensions: 14" x 9.05" x 10.83"

8" Bass Tube 150/300w SRX18SPT

21.3 L (Bottom) x 14.96" L (Top) x 9.8W x 9.8"H



Street Edge bass systems are the ideal simple solution to add bass to any vehicle on a budget. These party packs feature a loaded Street Edge enclosure with a powerful Street Edge amplifier in one ready to install kit. Street Edge products were designed to perform at a price point that anyone can afford.









Unloaded Enclosures

Memphis Audio Unloaded Enclosures were engineered to maximize the performance of your Subwoofers. Designed by our technicians at Memphis and built with a focus on quality, Memphis unloaded enclosures are an excellent choice for anyone looking to add powerful Memphis bass to their system.

street edge bass package & unloaded enclosures

Street Edge Powered Bass Packages (Amplifier Included)

SE210 Dual 10" loaded enclosure

Dimensions:

Width: 24.6", Height 11", Top: 8.7", Bottom 10.6"

Optional Grill: 10" - PRXG10

Unloaded Enclosures

PE1X10V2 10" Box 12" x 17" x 12" A/S .99FT³

PE1X12V2 12" Box 15" x 20" x 14" A/S 1.8FT³

PE1X15V2 15" Box 16" x 29.2" x 17" A/S 3.6FT³

PE2X10V2 Dual 10" Box 15" x 28" x 12.5" A/S 2.27FT³

PE2X12V2 Dual 12" Box 17.5" x 31" x 14" A/S 3.41FT³

features

Street Edge Bass Packages

- · Custom Street Edge embroidered enclosure
- Ported for Maximum performance and output
- Polypropylene SE branded cone
- Rubber surround
- 1.5" copper voice coil
- · 27oz magnet
- Budget friendly option to bring bass to any vehicle
- DVVC Direct Vent Voice Coil Cooling
- SE2000.1DF Amplifier Included

Unloaded Enclosures

- Custom embroidered enclosure
- Ported Design for maximum output



VIV SixFive Series component speakers are the product of over 50 years of audio engineering. These speakers represent a bold step into high end audio for Memphis. These are the cleanest sounding and most acoustically accurate speakers ever produced by Memphis. One listen and you will see what the hype is all about.



feature

- Cast aluminum Six Five basket
- · 2 layer composite fiber cone
- · Versatile crossover settings
- · Aluminum housed silk tweeter
- Bi-ampable passive crossover (VIV60C)

sixfive series

VIV60C 6.5" Comp set | 2Ω 80/160w

VIV62 6.5" Coaxial Speakers | 2Ω 75/150



MClass components are the heart and soul of Memphis sound. Rich, clear and beautiful with exceptional accuracy is the standard with any MClass component. Bring your music to life and experience what Memphis is all about with one listen to our MClass line.



MClass Components

The demand for the warm rich sound of MC components resulted in the addition of both a 5x7" and 6x9" version allowing MClass sound to flow into even more applications.





mclass component

MClass Component Sets

 MCX69C
 6x9" Comp Speaker Set 60/120w

 MCX60C
 6.5" Comp Speaker Set 50/100w

 MCX57C
 5x7" Comp Speaker Set 50/100w

 MCXA1
 1" Aluminum Tweeter 50/100w

features

MClass Component Speaker Sets

- · Carbon fiber cone
- · Oversized mid-bass driver
- Multi-mount tweeter



MClass coaxial speakers offer the amazing acoustic performance of MClass line in a coaxial version. The rigid carbon fiber weave cone is light weight but stiff allowing accurate mid bass production at higher volumes which is balanced perfectly by the aluminum alloy swivel mount tweeter.





Mounting System

features

- MClip Crossover mounting solution
- 0/-3dB Tweeter adjustment
- Lightweight carbon fiber cone
- Swivel mount aluminum alloy tweeter

mclass coaxial

| мсх69 | 6x9" Coax Speaker 60/120w |
|-------|-------------------------------|
| MCX60 | 6.5" O/S Coax Speaker 50/100W |
| мсх6 | 6.5" Coax Speaker 50/100w |
| MCX57 | 5x7" Coax Speaker 50/100w |
| мсх5 | 5.25" Coax Speaker 40/80w |
| MCX46 | 4x6" Coax Speaker 30/60w |
| MCX4 | 4" Coax Speaker 30/60w |



Power Reference components are an amazing blend of performance and reliability. The warm rich sound combined with a variety of sizes make these components the perfect upgrade for most factory systems. Select sizes are now available for Toyota OEM Direct Fit applications











| PRXTY69 - 6X | COAXIALS |
|-------------------------|-----------------------|
| 09-13 Lexus CT F | 08-10 Toyota |
| 03-14 Lexus GX F | Highlander F |
| 07-14 Lexus LS F | 08-14 Toyota Land |
| 04-14 Lexus RX F | Cruiser F |
| 10-14 Toyota 4 Runner F | 10-14 Toyota Prius F |
| 03-09 Toyota 4 Runner F | 08-14 Toyota Sequoia |
| OS_14 Toyota Avalon F | 04-09 Toyota Solara F |

02-11 Toyota Avaioii i 02-11 Toyota Camry F 07-14 Toyota FI Cruise

| 09-13 Lexus CT F | 08-10 Toyota Highlander F |
|---------------------------|---------------------------|
| 03-14 Lexus GX F | 08-14 Toyota Land Cruiser |
| 07-14 Lexus LS F | 10-14 Toyota Prius F |
| 04-14 Lexus RX F | 08-14 Toyota Sequoia F |
| 10-14 Toyota 4 Runner F | 04-09 Toyota Solara F |
| 03-09 Toyota 4 Runner F | 05-14 Toyota Tacoma F |
| 05-14 Toyota Avalon F | 07-14 Toyota Tundra F |
| 02-11 Toyota Camry F | 09-14 Toyota Venza F |
| 07-14 Toyota FJ Cruiser F | |

| PRXTY60 - 6.5" | COAXIALS | |
|----------------------|---------------------------|--------------------------------|
| 09-13 Lexus CT R | 04-12 Scion XB F | 01-11 Toyota RAV4 F & R |
| 02-06 Lexus ES F & R | 08-12 Scion XB R | 08-12 Toyota Seguoia F & R |
| 06-11 Lexus GS F | 08-11 Scion XD F & R | 98-12 Toyota Sienna F & R |
| 03-12 Lexus GX R | 05-11 Toyota Avalon R | 98-03 Toyota Solara F |
| 01-12 Lexus IS F | 00-05 Toyota Celica F & R | 05-13 Toyota Tacoma R |
| 06-12 Lexus IS R | 01-12 Toyota Corolla F | 00-13 Toyota Tundra R |
| 99-03 Lexus RX F & R | 00-05 Toyota Echo F | 03-06 Toyota Tundra F |
| 03-09 Pontiac Vibe R | 08-12 Toyota Highlander R | 09-11 Toyota Venza R |
| 05-12 Scion TC F & R | 02-11 Toyota Matrix F & R | 07-12 Toyota Yaris F |
| 04-07 Scion XA F & R | 01-11 Toyota Prius F & R | 07-12 Toyota Yaris Lift Back R |
| | | |

| FIGHT TOOC 0.5 | Couxidis | |
|----------------------|---------------------------|----|
| 09-13 Lexus CT R | 04-12 Scion XB F | 01 |
| 02-06 Lexus ES F & R | 08-12 Scion XB R | 08 |
| 06-11 Lexus GS F | 08-11 Scion XD F & R | 98 |
| 03-12 Lexus GX R | 05-11 Toyota Avalon R | 98 |
| 01-12 Lexus IS F | 00-05 Toyota Celica F & R | 05 |
| 06-12 Lexus IS R | 01-12 Toyota Corolla F | 00 |
| 99-03 Lexus RX F & R | 00-05 Toyota Echo F | 03 |
| 03-09 Pontiac Vibe R | 08-12 Toyota Highlander R | 09 |
| 05-12 Scion TC F & R | 02-11 Toyota Matrix F & R | 07 |
| 04-07 Scion XA F & R | 01-11 Toyota Prius F & R | 07 |
| | | |

01-11 Toyota RAV4 F & R 08-12 Toyota Sequoia F & R 98-12 Toyota Sienna F & R 98-03 Toyota Solara F 05-13 Toyota Tacoma R 00-13 Toyota Tundra R 03-06 Toyota Tundra R 09-11 Toyota Venza R 07-12 Toyota Yaris F 07-12 Toyota Yaris Lift Back R 02-11 Toyota Matrix F & R 01-11 Toyota Prius F & R

Speakers will fit additional models not listed in this chart

power reference components

PRX690C 6x9" Comp Set 60/120w PRX570C 5x7" Comp Set 50/100w PRX60C 6.5" Comp Set 50/100w PRX50C 5.25" Comp Set 50/100w

Toyota direct fit OEM

PRXTY69C 6x9" Direct Fit Toyota OEM 60/120w 6.5" Direct Fit Toyota OEM 50/100w PRXTY60C 6x9" Direct Fit Toyota OEM 60/120w PRXTY69 6.5" Direct Fit Toyota OEM 50/100w PRXTY60

features

Power Reference Component Speakers

- Butyl rubber surround
- Separate poly dome tweeter
- Separate crossover
- Perfect fit for OEM Factory applications

Toyota OEM Direct Fit Speakers

- Direct OEM fit for Toyota vehicles
- Plug & play connects to factory harness
- 4Ω impedance matched
- 25mm silk dome tweeter
- 2 Tweeters & 2 Mids Included in component versions
- Perfect fit for many applications



Engineered to produce amazing sound and sized to fit most factory locations, Power Reference coaxial speakers have been our flagship for decades. Excellent sound quality and easy integration make Power Reference a staple in the industry. The Power Reference line also includes a variety of shallow speaker sizes adding even more versatility than ever before.





features

Power Reference Coaxial Speakers

- Polyurethane surround
- · PEI dome tweeter
- Multi-direction pivot tweeter system for improved imaging
- · Integrated 6dB crossover for tweeter
- · Graphite reinforced polypropylene cone
- Rubber surround

Power Reference Shallow Coaxial Speakers

- · Shallow mount design
- 2Ω impedance
- Perfect fit for Dodge/Chrysler, Toyota and other difficult shallow factory locations.

power reference coax

PR STANDARD SIZE COAXIAL PR SHALL PRX6903 6x9" 3-way 6x9 60/120w PRXS69

 PRX6902
 6x9" 60/120w

 PRX60
 6.5" O/S 50/100w

 PRX603
 6.5" 3-way 50/100w

PRX602 6.5" 50/100w PRX57 5x7" 40/80w PRX5 5.25" 30/60w

PRX46 4x6" 30/60w PRX410 4x10" 50/100w PRX4 4" 20/40w

PRX3 3.5" 15/30w **PRX27** 2.75" 15/30w

PR SHALLOW COAXIAL

 PRXS69
 6x9" Shallow 50/100w

 PRXS60
 6.5"O/S Shallow 40/80w

 PRXS57
 5x7" Shallow 40/80w



If you need mids and highs to hang with the extreme lows of Memphis bass, you need MOJO Pro speakers. Bigger, stronger and louder than ever, MOJO Pro is now available in a full component set or individually to create the perfect audio set up for those who prefer it LOUD.



mojo pro

MJP62C 6.5" Component Speaker Set 125/250w
MJP82 8" Component Speaker 200/400w
MJP62 6.5" Component Speaker 125/250w
MJPT Bullet Tweeter 100/200w
MJPHT 3.5" Tweeter 50/100w

features

MOJO PRO Component

- High efficiency mid range and tweeter
- · Multi application use
- Accordion cloth surround
- Billet phase plug
- Mesh Grills Included with 6" & 8" MOJO Pro

MOJO Components Sets

- Set includes MJP62 midrange, MJPHT tweeter and crossover.
- Mesh grills included with MJP62C component Set



Memphis Street Reference speakers offer impressive performance and value at a wallet friendly price. If you're looking to upgrade your audio system at a reasonable cost, SR speakers are the right choice for you. Looking for massive sound? Check out the new line of SR Pro speakers.







features

SRX Component Speakers

- · Butyl rubber surround
- Separate poly dome tweeter
- Separate crossover
- Perfect fit for OEM Factory applications
- Optional grills sold separately

SRX Coaxial Speakers

- Efficient paper cone
- Mylar tweeter
- Lightweight foam surround
- · Slim mounting depth
- Optional grills sold separately

street reference speakers

Street Reference Component Speaker Set

SRX60C 6.5" O/S Comp speaker set 50/100w

Street Reference Coaxial Speakers

 SRX693
 6x9" Coax Speaker 50/100w

 SRX62
 6.5" Coax Speaker 30/60w

 SRX572
 5x7" Coax Speaker 30/60w

 SRX52
 5.25" Coax Speaker 25/50w

 SRX462
 4x6" Coax Speaker 25/50w

 SRX42
 4" Coax Speaker 20/40w

 SRX1
 1" Tweeter 20/40w

Optional Grills: SRXG42, SRXG52, SRXG62, SRXG693



Street Reference Pro speakers were designed specifically to handle maximum power and perform at extreme volume. When you are looking to build a system that absolutely screams. SR Pro speakers are now available in a 6.5" coaxial set making it easier than ever to add pro audio to your vehicle.





street reference pro

Street Reference Pro Components

SRXP62C 6.5" Pro Component Set 125/250w Includes 2 SRXP62, 2 SRXPT, 2 Crossovers SRXP82 8" Pro Component Speaker 175/350w

SRXP82 8" Pro Component Speaker 175/350w
SRXP62 6.5" Pro Component Speaker 125/250w

SRXPT 4" Pro Tweeter Pair 100w/200w

Street Reference Pro Coaxials

SRXP82WT 8" Pro Coaxial Speaker 175/300w

SRXP62WT 6.5" Pro Coaxial Speaker 125w/250w



features

Street Reference Pro Components

- Ultra-light treated paper cone high SPL speaker
- Cloth treated surround for high SPL
- Accordion design for increased excursion and output
- 1.5" VC for higher power handling
- · Center phase plug for improved high frequency response
- 6.5" now available in a component set (SRXP62C)

Street Reference Pro Coaxial

- Lightweight paper cone and treated cloth surround
- Integrated 6dB mylar crossover for maximum efficiency
- 1.5" voice coil on mid range for high power handling

| Model Number | Size (in) | RMS/Peak (w) | Sensitivity (dB) | Mounting Depth (in) | Magnet Size (oz) | Warranty (yrs) Extended (Y/N) | Grill Included |
|----------------------------------|--------------------------------|--------------------|------------------|---------------------------|----------------------------|----------------------------------|----------------|
| | | | VIV I S | IXFIVE SERIES | | Extended (Y/N) | |
| VIV60C | 6.5 | 80/160 | 90 | 2.95 | 20 | 2 Y | N |
| VIV62 | 6.5 | 75/150 | 90 | 2.95 | 20 | 2 Y | N |
| | | | | MC MCLASS | | | |
| MCX60S | 6.5 O/S | 65/130 | 88 | 2.58 | 13 | 2 Y | Υ |
| MCX69C | 6x9 | 60/120 | 91 | 3 | 13 | 2 Y | Υ |
| MCX60C | 6.5 O/S | 50/100 | 89 | 2.5 | 13 | 2 Y | Υ |
| MCX57C | 5 x 7 | 50/100 | 88 | 2.125 | 10 | 2 Y | N |
| MCXA1 MCX69 | 1 | 50/100 | 88 91 | .6875 3 | .37 | 2 Y 2 Y | - Y |
| MCX69 | 6x9 6.5 O/S | 60/120 50/100 | 91 89 | 2.5 | 13 10 | 2 Y 2 Y | Y |
| MCX6 | 6.5 | 50/100 | 89 | 2.25 | 10 | 2 Y | Y |
| MCX57 | 5x7 | 50/100 | 88 | 2.125 | 10 | 2 Y | N |
| MCX5 | 5.25 | 40/80 | 88 | 2.2 | 10 | 2 Y | Y |
| MCX46 | 4x6 | 30/60 | 87 | 2.125 | 10 | 2 Y | N |
| MCX4 | 4 | 30/60 | 87 | 1.75 | 8 | 2 Y | Υ |
| | | | N | IJP MOJO PRO | | | |
| MJP62C | 6.5 | 125/250 | 95 | 3.07 | 35 | 1 N | Υ |
| MJP82 | 8 | 200/400 | 95 | 3.66 | 40 | 1 N | Υ |
| MJP62 | 6.5 | 125/250 | 95 | 3.07 | 35 | 1 N | Υ |
| МЈРТ | 3.5 | 100/200 | 93 | 1.5 | - | 1 N | - |
| МЈРНТ | 3.5 | 50/100 | 105 | 2.2 | 8 | 1 N | - |
| PRX690C | 6x9 | 60/120 | | OWER REFERENCE 3 | 14 | 1 Y | Y |
| PRX690C PRX570C | 6x9 5x7 | 50/120 | 90 89 | 2.125 | 14 | 1 Y | Y N |
| PRX60C | 6.5 | 50/100 | 88 | 2.125 | 10 | 1 Y | Y |
| PRX50C | 5.25 | 50/100 | 88 | 2.125 | 10 | 1 Y | Y |
| PRX10 | 3.23 | 50/100 | 87 | .75 | 0.75 | 1 Y | - |
| PRX6903 | 6x9 | 60/120 | 90 | 3 | 14 | 1 Y | Υ |
| PRX6902 | 6x9 | 60/120 | 90 | 3 | 14 | 1 Y | Υ |
| PRX60 | 6.5 O/S | 50/100 | 88 | 2.50 | 10 | 1 Y | Υ |
| PRX603 | 6.5 | 50/100 | 88 | 2.25 | 10 | 1 Y | Υ |
| PRX602 | 6.5 | 50/100 | 88 | 2.25 | 10 | 1 Y | Υ |
| PRX57 | 5x7 | 40/80 | 88 | 2.125 | 10 | 1 Y | N |
| PRX5 | 5.25 | 30/60 | 87 | 2.125 | 9 | 1 Y | Υ |
| PRX46 | 4x6 | 30/60 | 86 | 2.125 | 11 | 1 Y | r |
| PRX410 | 4x10 | 50/100 | 89 | 2.5 | 13 | 1 Y | Υ |
| PRX4 | 4 | 20/40 | 86 | 1.75 | 8 | 1 Y | Y |
| PRX3 | 3.5 | 15/30 | 87 | 1.5 | 7 | 1 Y | N |
| PRX27 | 2.75 | 15/30 | 85 | 1.25 2.29 | 3 | 1 Y | - Y |
| PRXS69 Shallow PRXS60 Shallow | 6x9 Shallow 6.5 O/S Shallow | 50/100 40/80 | 88 86 | 1.89 | 11 10 | 1 Y 1 Y | Y |
| PRXS57 Shallow | 5x7 Shallow | 40/80 | 87 | 2.05 | 10 | 1 Y | Y |
| PRXTY69C | 6x9 Direct Fit | 60/120 | 90 | Toyota Specific | 20 | 1 Y | N |
| PRXTY60C | 6.5" Direct Fit | 50/100 | 88 | Toyota Specific | 10 | 1 Y | N |
| PRXTY69 | 6x9 Direct Fit | 60/120 | 90 | Toyota Specific | 20 | 1 Y | N |
| PRXTY60 | 6.5" Direct Fit | 50/100 | 88 | Toyota Specific | 10 | 1 Y | N |
| | | | SR S | TREET REFERENCE | | | |
| SRX60C | 6.5 O/S | 50/100 | 88 | 2 | 11.2 | 1 N | N |
| SRX693 | 6x9 | 50/100 | 90 | 3 | 16.6 | 1 N | N |
| SRX62 | 6.5 | 30/60 | 88 | 2 | 11.2 | 1 N | N |
| SRX572 | 5x7 | 30/60 | 90 | 2.25 | 7.5 | 1 N | N |
| SRX52 SRX462 | 2.25 4x6 | 25/50 25/50 | 88 86 | 2 2 | 5.4 5.4 | 1 N 1 N | N N |
| SRX462 SRX42 | 4x6 4 | 20/40 | 88 | 2 | 5.4 5.4 | 1 N | N N |
| SRX1 | 1 | 20/40 | 97 | Surface | - | 1 N | Y* |
| SRXP82 PRO | 8 | 175/350 | 95 | 2.85 | 28 | 1 N | N |
| SRXP62/62C PRO | 6.5 | 125/250 | 94 | 2.44 | 22 | 1 N | N N |
| SRXPT PRO | 4" Tweeter | 100/200 | | 2.22 | 5.2 | 1 N | Y* |
| SRXP82WT | 8 | 175/350 | 95 | 3.15 | 25 | 1N | Υ |
| SRXP62WT | 6.5 | 125/250 | 94 | 2.87 | 20 | 1N | Υ |
| | | | | MPHIS XTREME AUDIO | | | |
| MXA80L | 8 | 60/120 | 89 | 3.35 | 14 | 1 N | Y |
| MXA69L | 6x9 | 60/120 | 89 | 3.27 | 14 | 1 N | Y |
| MXA60L | 6.5 | 50/100 | 88 | 2.5 | 10 | 1 N | Y |
| MXA602SLB/SLW MXA62HD | 6.5 6.5 | 40/80 75/150 | 85 93 | 2.91 2.3 | 10 Neodymium | 1 N 1 N | Y* Y |
| MANUZITU | 0.5 | 75/150 | | PEAKERS & SOUNDBAR | Neouymium | I IN | 1 |
| Model Number | Size | RMS/Peak | Impedance | Dimensions | Clamp Fit | Warranty (YRS) Extended (Y/N) | Grill Included |
| | 8 8 | | Impedance 4 | 13.5 x 10 | • | | Y* |
| MXA82TG/TW MXA62TG/TW | 8 6.5 | 150/300 100/200 | 2 | 13.5 x 10 11.07 x 8.26 | 1.75" to 3" 1.75" to 3" | 2 N 2 N | Y* Y* |
| MXA62TG/TW MXA60TB | 6.5 | 75/150 | 4 | 11.07 x 8.26 | 1.75 to 3" | 2 N | Y* |
| MXA62PS | 6.5 | 75/150 | 4 | 7.48 x 6.5 | 1.75 to 3 | 2 N | Y* |
| MXA46SB28 | 28 | 300 | - | 6.8 x 3 x 28.5 | 1.5" to 2.25" | 1 N | Y |
| MXASB35 | 35 | 300 | - | 35.75 x 3.5 x 3.9 | 1.5" to 2.25" | 1 N | Y |
| MXASB20V2 | 20 | 200 | - | 21.3 X 3.5 x 3.9 | 1.5" to 2.25" | 1 N | Y |
| мхавмв/с | 3 | 25/50 EACH | 4 | 4.125 x 4.44 | 1.25 | 1 N | Y* |
| t is | ≥ Ш | | ME | mphis remie | | <u> </u> | |



Memphis Xtreme Audio amplifiers were engineered to take on the most extreme environments. Whether you need power to kick sound from a wake tower or want to keep the party going at the dunes, MXA amplifiers are designed to withstand whatever you throw at them.



memphis xtreme amps

MXA Marine "M" Amplifiers

MXA850.5M 5-CH 4 x 100(w) @ 2Ω + 1 x 450(w) @ 1Ω

MXA480.4M 4-CH 4 x120(w) @ 2Ω MXA600.1M 1-CH 1 x 600(w) @ 1Ω

MXA Powersports Amplifiers

MXA5.600 5-CH 4 x 75 + 300 x $1@2\Omega$ MXA600.4 4-CH 4 x 150(w) @ 2Ω MXA300.4 4-CH 4 x 75(w) @ 2Ω MXA300.2 2-CH 2 x 150(w) @ 2Ω MXA300.1 1-CH 1 x 300(w) @ 2Ω **MXA Mini Powersports Amplifiers**

MXA200.4S 4-CH 4 x 50(w) @ 2Ω MXA100.2S 2-CH 2 x 50(w) @ 2Ω

features

MXA Marine Amps (part number ending in "M")

- Water/Element resistant conformal coated circuit board
- Efficient Class D design
- Variable subsonic and bass boost (600.1M & 850.5M)
- Remote level control included (600.1M)
- Cabin/tower/sub 3-channel remote included (MXA850.5M)

MXA Powersports Amps

- Compact design
- Water/element resistant & conformal coated board
- IP66 rated

Mini Powersports Amps

- Sealed gain pots and harness
- IP66 rated
- Ultra small micro amp design



Aggressive stylish grill styles with removable mesh inserts come standard in both gunmetal and white to match any marine or powersports application. Set your boat or side-by-side apart with big sound illuminated by RGB LED lights and keep the party going all night long!













features

MXA High Performance W/ Spoke Style RGB LED Optional Grill

- Gunmetal & white grills with removable mesh included
- RGB LED Light ring ready grills
- Swivel mount aluminum tweeter
- Injection molded poly cone
- Butyl rubber surround
- High temp ABS composite basket
- UV Coated, water and element resistant

MXA Speaker w/ Blue LED

- UV, element and water resistant
- Protective permanent grill.
- Injection molded poly cone Equipped with blue LED

MXA High-Performance w/ RGB LED Included

memphis xtreme speakers

MXA80L 8" Coax RGB LED Speaker 60/120w MXA69L 6x9" Coax RGB LED Speaker 60/120w MXA60L 6.5" Coax RGB LED Speaker 50/100w

MXA Speaker w/ Blue LED included

MXA602SLB 6.5" Black Coax LED Speaker 40/80w MXA602SLW 6.5" White Coax LED Speaker 40/80w



Memphis tower speakers received a major upgrade as well as a few new members of the family. Compression horn tower speakers cast massive sound to the end of a wake and now feature a bold new grill design equipped with RGB LED standard in all sizes. Our new Coax tower speakers utilize a traditional tweeter for a more musical sound while the new powersport pods feature a compact design perfect for side-by-sides.







mxa tower speakers & pods

MXA Compression Horn Tower Speakers

8" 4Ω Gray (G) or White (W) 150/300wMXA82TG/TW

6.5" 2Ω Gray (G) or White (W) 100/200wMXA62TG/TW

MXA Coaxial Tower Speaker

6.5" 4Ω Black 75/150w coax tower MXA60TB

MXA Powersports Speaker Pods

MXA62PS 6.5" 4Ω Black 75/150w powersports pod

features

MXA Compression Horn Tower Speakers

- Available in gunmetal or white finish
- Compression horn tweeter design
- Water, element & UV resistant (IP66)
- Adjustable aluminum hardware w/ 360° EZ swivel mount
- RGB LED included in both 6.5" & 8" versions

- Water and UV resistant (IP66)
- Polypropylene woofer & PEI dome tweeter
- Adjustable aluminum hardware w/ 360° EZ swivel mount
- RGB LED included

- Water, element & UV resistant (IP66)
- Polypropylene woofer and PEI dome tweeter Adjustable aluminum hardware w/ 360° mount
- Compact design perfect for powersports applications
- RGB LED included



MXA Subwoofers are available in 10" and 12" versions which bring massive bass to any extreme application. The high temperature ABS basket offers extreme durability and weather resistance. All MXA subwoofers include gunmetal speaker grills with integrated RGB LED lighting to keep the party going when the sun goes down. Optional white or black grills are also available.







Your attemption

features

Memphis Xtreme Subwoofers

- RGB LED Lighting included
- Gold plated terminals
- Polypropylene UV resistant cone
- High temperature ABS corrosion resistant plastic basket
- UV Resistant high impact gray grill included
- Optional black and white grills available

MXA Xtreme NanoBoxx

- Marine grade construction IP66
- Ultra compact design
- Oversized passive radiator
- Anodized aluminum enclosure
- Remote level control
- · Efficient class-D amplifier built-in
- 0-12dB bass boost
- · Low pass and subsonic filter

mxa subs & led accessories

Memphis Xtreme Subwoofers

MXA124412" 4Ω DVC 250/500wMXA104410" 4Ω DVC 250/500w

Optional Grills:

12" MXA12GW & MXA12GB // 10" MXA10GW & MXA10GB

Memphis Xtreme Nanoboxx

MXA110SPD 10" 200/400 Bass System

13.9" x 9.8" x 3.3"



Hit the trails with extreme sound! These are the best performing soundbars on the market. Our 20" and 35" soundbars feature passive radiators which churn out massive mid bass. The all new MXA46SB28 overhead soundbar can be controlled via an app on your phone allowing you to adjust EQ settings, control the integrated RGB LED lighting, set AM/FM radio presets and more making it the most innovative soundbar on the market.



Memphis Xtreme Overhead Soundbar

MXA46SB28 28" Overhead App controlled 300/600w Soundbar

Memphis Xtreme Traditional Powersports Soundbars

MXASB35 35" Soundbar 300w

MXASB20V2 20" Soundbar 200w

Memphis Xtreme Overhead App Controlled Soundbar Built in Bluetooth receiver

- 8-Speaker system: 4-6.5" mids, 4 tweeters RGB LED speakers

- IP66 Water and element resistant
 App controls: EQ, fade, balance, RGB color, subwoofer output, preset programing and more
 AM/FM/Weatherband
 AUX in
 USB Charging
 6. Channel output, Sub/Front/Poor

- 6-Channel output: Sub/Front/Rear
- 5 Volt pre amp outputs

onal Powersports Soundbars

- Passive radiators for enhanced mid bass
- Water and element resistant
- Self powered plug & play solution
- AUX input
- 2-Channel outputs



Bring huge sound to your motorcycle or powersports system with the best performing bullet style powersports speaker kits. These kits are available in both black or chrome finish. Available in both Bluetooth and non Bluetooth versions, these kits feature a small but mighty Memphis mini amplifier. This highly versatile kit includes both post mounts and mirror mounts allowing you to bring BIG sound to the road or to the trails.























features

- Speaker Powersports Kits
 2 Bar clamp mounts and 2 post mounts included
 Oversized 15oz magnet for improved low end response
 Water resistant speaker housings
 MXA100.2S 50w 2-channel amplifier included
 Black or Chrome versions available
 MXABTR Bluetooth controller included on "BT" models

- Music mode (MXALEDBT only)
 Million color combinations (MXALED BT only)
 10 individual 4.5" strips w/ 60 total RBC LEDs
 9 Speed flashing and fade modes (MXALEDBT only)
 Slim easy hidden control box
 Optional wired remote control (MXALEDBT only)
 Last function memory
 4-button key chain remote (MXALEDFOB only)
 Crill Light Rings

- Upgrades existing MXA woofers and speakers to LED 20 Different vibrant LED light colors Mounts directly to backside of MXA grills listed above

Controller adjusts color, brightness, flash & fading

memphis xtreme speakers & LED

MXA Bar Mount Powersports Kit w/ Bluetooth

MXABMB2BT Black 2-speaker set w/ Bluetooth **MXABMC2BT** Chrome 2-speaker set w/ Bluetooth **MXA Bar Mount Powersports Kit W/ Out Bluetooth**

Black 2-speaker set MXABMB2

Memphis Xtreme LED Lighting Accessories

MXALEDBT Bluetooth LED Kit (iPhone/Android)

MXALEDFOB Key chain LED Kit


1 LED ring for MXA 10" & 12" subs **MXALEDSB1 MXALEDSP2** 2 LED rings for MXA6"/8"/6x9"

MXALEDCTR 20 color remote controller for LED lights













MXAMCAPP

CLASSIC CARS & HOT RODS

MARINE APPLICATIONS









The Headless Unit

This innovative hideaway system gives you the complete experience of a head unit without the need to alter your vehicles dash. Much more than a simple Bluetooth controller, this is an entire head unit packed into a hideaway box. The MXAMCAPP features a built-in 50x4 amplifier, 5 source options, and front/rear/subwoofer RCA outputs allowing you to build your entire system directly off the unit. The hideaway box is controlled via the Memphis app allowing you to control your EQ, AM/FM presets, control RGB LEDs and more. The attached wired remote fits in standard knock out locations but is not required. This is the ultimate for powersports, marine, hot rod and classic car audio integration where you don't want to alter the appearance of your dash.

features

MXAMCAPP - Headless Unit

- 5 Source Options: AUX/BT/AM/FM/WB
- USB charging
- 50W x 4 built-in amplifier
- RGB LED control output
- Front/Rear/Subwoofer RCA output
- 5 Volt pre-amp output
- Conformal coated PCB IP66 Rated
- Wired remote fits standard rocker
 - Wired remote buttons illuminate

APP CONTROLS The following:

- **RGB** setting
- Custom EQ settings
- Balance/Fade
- AM/FM Presets Controls
- Radio search settings
- Manual/Seek/Presets





MXA source units offer the perfect solution for all your entertainment needs. Our newest addition the MXAZ24MC features front, rear and subwoofer outputs with multi-zone control, video inputs and a multi band EQ allowing you to build the ultimate audio system for your boat or side-by-side. Up to 2 optional MXA1MCR remote controls can be added to this unit allowing you to control your audio system from multiple locations.





IXAZ24MC Multi-Zone W/ Sub Control

Take ultimate control of your audio system with the MXAZ24MC media center. The multi-zone control feature allows users to separately control cabin zone and tower zone speakers while also maintaining independent subwoofer level control. The large TFT LCD display offers crystal clear viewing and features a night mode for comfortable operation when the sun goes down. The uniit features a video input allowing backup cameras to be connected. You can easily stream music via Bluetooth, AUX or USB or tune into AM/FM radio.







mxa source units

App Controlled Media Center

MXAMCAPP App controlled hideaway media center

(see previous page for details)

Multi-Zone Media Center W/ Subwoofer Control

MXAZ24MC Rectangular Bluetooth Dual Zone

Media center

Traditional Gauge Radio Media Center

MXA1MC Round Bluetooth Gauge Media Center

Traditional Gauge Radio Media Center

MXA1MCR Remote Control for Memphis Media

Centers

features

Z24MC - Multi-Zone Media Center With Subwoofer Control Dual zone with independent sub control 3" TFT wet bonded color LCD display Video Input Built in 4x50W amplifier IP66 waterproof design EEPROM memory 18 FM Presets/ 12 AM Presets 3 pair RCA pre-outputs - Front/Rear/Sub Auto dimmer w/ day/night mode Optional wired remote - MXA1MCR AM/FM USB Rluetooth and AUX inputs

AM/FM. USB, Bluetooth and AUX inputs

Rotary volume control
AM/FM multi-region tuner
Bluetooth audio streaming w/ easy pair
Rear AUX & USB (charge & flash drive)
Front/rear/subwoofer outputs
EEPROM virtual memory

50 watts x 4-CH / MXAZ24MC / MXA1MC Remote Control

- Controls volume, mute, track, source
- 25ft cable Water and element resistant
- 2 remotes can be used at the same time (Y cable required) Manual/Seek/Presets



In a world of instantaneous streaming content, we know how important it is to be able to access your music when and where you want. Our line of weather resistant Bluetooth controllers and devices gives you the flexibility to take your music anywhere life's adventures take you.















features

MXABTRX - BT Controller w/ AUX, USB & BT

- AUX, USB and USB streaming USB Charging and flash drive play
- Water and element resistant 5V Output
- Flush, surface mount or bar mount
 MXABTR BT Controller w/ BT Only
- Streams from any Bluetooth device
- Water and element resistant
- · Flush, surface mount or bar mount
- Amp turn on output
- 5V output

MXABTAC - Bluetooth Streaming Device

- Streams from any Bluetooth device
- Micro-sized for easy concealment
- Adds Bluetooth streaming to any amp

MXABTRK - Rocker Bluetooth Controller

- Controls volume, track, pause & AUX
- Mounts into standard rocker/Carling switch opening
- 3.5mm connections for main output & AUX input
- Volume controls BT & AUX
- Remote output turns amplifier on/off
- Bluetooth version 4.1

MXAUSBA Rocker AUX/USB Input

- Fits directly into standard Carling/rocker switch opening
- Creates an in-dash AUX/USB input
- Includes 1 meter of RCA and USB extension cable to connect to your AUX/ USB inputs
- Dims: 0.83 x 1.45

mxa bluetooth solutions

Bluetooth Solutions

MXABTRX Bluetooth Control w/ AUX & USB

MXABTR Bluetooth Only Control

MXABTAC Bluetooth Streaming Device

MXABTRK Rocker Switch Bluetooth Controller

AUX/USB Rocker Switch Input

MXAUSBA Rocker Switch AUX/USB Input





NEW & IMPROVED DESIGN, IMPROVED WIRING, IMPROVED RELIABILITY









WHATS IN THE TOP?

| TOP TYPE | LEVEL | # OF SEATS | SOURCE UNIT | SPEAKER TYPE | AMPLIFIER | SUBWOOFER |
|-------------|--------|------------|-------------|--------------|-----------|-----------|
| CORE 2 | GOOD | 2 | MXA1MC | MXA602SLB | - | - |
| PRO 2 | BETTER | 2 | MXAMCAPP | MXA60L | MXA2.140 | - |
| PRO 2 + Sub | BEST | 2 | MXAMCAPP | MXA60L | MXA5.600 | SRXS1044 |
| CORE 4 | GOOD | 4 | MXA1MC | MXA602SLB | - | - |
| PRO 4 | BETTER | 4 | MXAMCAPP | MXA60L | MXA4.45 | - |
| PRO 4 + Sub | BEST | 4 | MXAMCAPP | MXA60L | MXA5.600 | SRXS1044 |



NEW & IMPROVED DESIGN, IMPROVED WIRING, IMPROVED RELIABILITY

| | D | OLADIS DOOF | AUDIO SOLUTIC | NIC | | |
|---|-------------------------|----------------------|---------------------|-----------|----------------------|-----------|
| PART NUMBER | SERIES | SOURCE UNIT | | SPKR QTY | AMPLIFIER | SUBWOOFER |
| GENERAL 2 SEATER SEATE | | SOURCE UNIT | SPEAKEK | SPAR QIII | AMPLIFIER | SOBWOOFER |
| GEN21KCORE | 2-CORE | MXA1MC | MXA602SLB | 4 | | |
| GEN21KPRO | 2-PRO | MXAMCAPP | MXA60L | 4 | MXA2.140 | |
| GEN21KPROP | 2-PRO PLUS SUB | MXAMCAPP | MXA60L | 4 | MXA5.600 | SRXS1044 |
| GENERAL CREW 4 SEATER | | | | | | |
| GEN41KCORE | 4-CORE | MXA1MC | MXA602SLB | 4 | | |
| GEN41KPRO | 4-PRO | MXAMCAPP | MXA60L | 8 | MXA4.45 | CDVC10// |
| GEN41KPROP RANGER 570 (ROUND CAGE | 4-PRO PLUS SUB | MXAMCAPP | MXA60L | 6 | MXA5.600 | SRXS1044 |
| RGR2570CORE | 2-CORE | MXA1MC | MXA602SLB | 4 | | |
| RGR2570PRO | 2-PRO | MXAMCAPP | MXA6023EB | 4 | MXA2.140 | |
| RGR2570PROP | 2-PRO PLUS SUB | MXAMCAPP | MXA60L | 4 | MXA5.600 | SRXS1044 |
| RANGER 570 CREW (ROUNI | CAGE) 4 SEATER | | | | | |
| RGR4570CORE | 4-CORE | MXA1MC | MXA602SLB | 4 | | |
| RGR4570PRO | 4-PRO | MXAMCAPP | MXA60L | 8 | MXA4.45 | |
| RGR4570PROP | 4-PRO PLUS SUB | MXAMCAPP | MXA60L | 6 | MXA5.600 | SRXS1044 |
| RANGER XP 2 FULL SIZE (FI | | | | | | |
| RGR2CORE | 2-CORE | MXA1MC | MXA602SLB | 4 | | |
| RGR2PRO | 2-PRO | MXAMCAPP | MXA60L | 4 | MXA2.140 | CDVC10// |
| RGR2PROP RANGER XP 2 MIDSIZE (FLA | 2-PRO PLUS SUB | MXAMCAPP | MXA60L | 4 | MXA5.600 | SRXS1044 |
| RGR2MCORE | 2-CORE | MXA1MC | MXA602SLB | 4 | | |
| RGR2MPRO | 2-PRO | MXAMCAPP | MXA60L | 4 | MXA2.140 | |
| RGR2MPROP | 2-PRO PLUS SUB | MXAMCAPP | MXA60L | 4 | MXA5.600 | SRXS1044 |
| RANGER XP 4 CREW FULL S | | | | | | |
| RGR4CORE | 4-CORE | MXA1MC | MXA602SLB | 4 | | |
| RGR4PRO | 4-PRO | MXAMCAPP | MXA60L | 8 | MXA4.45 | |
| RGR4PROP | 4-PRO PLUS SUB | MXAMCAPP | MXA60L | 6 | MXA5.600 | SRXS1044 |
| RANGER XP 4 MIDSIZE CRE | | | | | | |
| RGR4MCORE | 4-CORE | MXA1MC | MXA602SLB | 4 | MAYA//F | |
| RGR4MPROP | 4-PRO 4-PRO PLUS SUB | MXAMCAPP MXAMCAPP | MXA60L MXA60L | 8 6 | MXA4.45 MXA5.600 | SRXS1044 |
| RZR 1000 2 2014-UP/RZR90 | | MXAMCAPP | MAGUL | • | MAA3.000 | 3KA31044 |
| RZR291KCORE | 2-CORE | MXA1MC | MXA602SLB | 4 | | |
| RZR291KPRO | 2-PRO | MXAMCAPP | MXA60L | 4 | MXA2.140 | |
| RZR291KPROP | 2-PRO PLUS SUB | MXAMCAPP | MXA60L | 4 | MXA5.600 | SRXS1044 |
| RZR 1000 4 2014-UP/RZR 9 | 00 4 2015-UP 4 SEATER | | | | | |
| RZR491KCORE | 4-CORE | MXA1MC | MXA602SLB | 4 | | |
| RZR491KPRO | 4-PRO | MXAMCAPP | MXA60L | 8 | MXA4.45 | |
| RZR491KPROP | 4-PRO PLUS SUB | MXAMCAPP | MXA60L | 6 | MXA5.600 | SRXS1044 |
| RZR 800/900 2008-2014/RZ RZR2895CORE | 2-CORE | MXA1MC | MXA602SLB | 4 | | |
| RZR2895PRO | 2-PRO | MXAMCAPP | MXA6025LB MXA60L | 4 | MXA2.140 | |
| RZR1000 TURBO 2 2019-UP | | MAMICAPP | MAGOL | | MAA2.140 | |
| RZR21KTCORE | 2-CORE | MXA1MC | MXA602SLB | 4 | | |
| RZR21KTPRO | 2-PRO | MXAMCAPP | MXA60L | 4 | MXA2.140 | |
| RZR21KTPROP | 2-PRO PLUS SUB | MXAMCAPP | MXA60L | 4 | MXA5.600 | SRXS1044 |
| | | ANAM DOOF | AUDIO SOLUTIO | NE | | |
| | | ANAM ROOF | KODIO SOLUTIO | 145 | | |
| MAVERICK X3 2 SEATER | | | | | | |
| MX32CORE | 2-CORE | MXA1MC | MXA602SLB | 4 | 147/401/0 | |
| MX32PRO MX32PDOD | 2-PRO 2-PRO PLUS SUB | MXAMCAPP | MXA60L | 4 | MXA2.140 MXA5.600 | SRXS1044 |
| MX32PROP MAVERICK X3MAXX 4 SEAT | | MXAMCAPP | MXA60L | -+ | DOD'CHVIAI | 3KA31U44 |
| MX34CORE | 4-CORE | MXA1MC | MXA602SLB | 4 | | |
| MX34PRO | 4-PRO | MXAMCAPP | MXA60L | 8 | MXA4.45 | |
| MX34PROP | 4-PRO PLUS SUB | MXAMCAPP | MXA60L | 6 | MXA5.600 | SRXS1044 |
| MAVERICK TRAIL 2 SEATER | | | | | | |
| MTR2CORE | 2-CORE | MXA1MC | MXA602SLB | 4 | | |
| MTR2PRO | 2-PRO | MXAMCAPP | MXA60L | 4 | MXA2.140 | |
| MTR2PROP | 2-PRO PLUS SUB | MXAMCAPP | MXA60L | 4 | MXA5.600 | SRXS1044 |
| MAVERICK/COMMANDER 2 | | 1074115 | | | | |
| MCO2CORE | 2-CORE | MXA1MC | MXA602SLB | 4 | MYAGE | |
| MCO2PRO MCO2PROP | 2-PRO | MXAMCAPP | MXA60L | 4 | MXA2.140 | SDACTURE. |
| MCO2PROP MAVERICK/COMMANDER 4 | 2-PRO PLUS SUB | MXAMCAPP | MXA60L | 4 | MXA5.600 | SRXS1044 |
| MCO4CORE | 4-CORE | MXA1MC | MXA602SLB | 4 | | |
| MCO4PRO | 4-PRO | MXAMCAPP | MXA60L | 8 | MXA4.45 | |
| MCO4PROP | 4-PRO PLUS SUB | MXAMCAPP | MXA60L | 4 | MXA5.600 | SRXS1044 |
| CAN AM DEFENDER 2 SEAT | | | | | | |
| DEF21KCORE | 2-CORE | MXA1MC | MXA602SLB | 4 | | |
| DEF21KPRO | 2-PRO | MXAMCAPP | MXA60L | 4 | MXA2.140 | |
| CANAM DEFENDER 4 SEATI | | MATA | MVACOCCIE | | | |
| DEF41KCORE | 4-CORE | MXA1MC | MXA602SLB | 4 | MAY A / / = | |
| DEF41KPRO | | MXAMCAPP | MXA60L | 8 | MXA4.45 | |
| DEF41KPROP | 4-PRO 4-PRO PLUS SUB | MXAMCAPP | MXA60L | 4 | MXA5.600 | SRXS1044 |



| PART NUMBER | | | AUDIO SOLUTIO | | AMPLIE | CHRWCC |
|--|--|--|---|------------------|---|----------------------|
| HONDA 500 2 SEATER | SERIES | SOURCE UNI | T SPEAKER | QUANTITY | AMPLIFIER | SUBWOOFER |
| HND25CORE | 2-CORE | MXA1MC | MXA602SLB | 4 | | |
| HND25PRO | 2-PRO | MXAMCAPP | MXA6023LB | 4 | MXA2.140 | |
| HONDA 500 CREW 4 SEATE | | MAAMCAPP | MAAOOL | | WAZ.140 | |
| HND45CORE | 4-CORE | MXA1MC | MXA60L | 4 | | |
| HND45PRO | 4-PRO | MXAMCAPP | MXA602SLB | 8 | MXA4.45 | |
| HONDA 700 2 SEATER | | | | | | |
| HND27CORE | 2-CORE | MXA1MC | MXA60L | 4 | | |
| HND27PRO | 2-PRO | MXAMCAPP | MXA60L | 4 | MXA2.140 | |
| HONDA 700 CREW 4 SEATE | R | | | | | |
| HND47CORE | 4-CORE | MXA1MC | MXA602SLB | 4 | | |
| HND47PRO | 4-PRO | MXAMCAPP | MXA60L | S | MXA4.45 | |
| HONDA 1000-3 2 SEATER | | | | | | |
| HND21KCORE | 2-CORE | MXA1MC | MXA60L | 4 | 147/10/1/0 | |
| HND21KPRO | 2-PRO | MXAMCAPP | MXA602SLB | 4 | MXA2.140 | |
| HONDA 1000-5 4 SEATER HND41KCORE | 4-CORE | MXA1MC | MXA60L | 4 | | |
| HND41KPRO | 4-PRO | MXAMCAPP | MXA60L | 8 | MXA4.45 | |
| HND41KPROP | 4-PRO PLUS SUB | MXAMCAPP | MXA60L | 6 | MXA5.600 | SRXS1044 |
| IND-THE ROT | | | | | MACAGOGG | OKX OTO TT |
| | KA | WASAKI ROOF | AUDIO SOLUTI | ONS | | |
| MULE FX 2 SEATER | | | | | | |
| MUL2FXCORE | 2-CORE | MXA1MC | MXA602SLB | - | | |
| MUL2FXPRO | 2-PRO | MXAMCAPP | MXA60L | 6 | MXA2.140 | |
| MULE FXR 2 SEATER | 2.CODE | MYAIMC | MVAGOZGLD | | | |
| MUL2FXRCORE MUL2FXRPRO | 2-CORE 2-PRO | MXA1MC MXAMCAPP | MXA602SLB MXA60L | 4 | MXA2.140 | |
| MULE FXT 4 SEATER | Z-PRO | MIXAMICAPP | MAAGUL | 4 | MIXA2.140 | |
| MUL4FXTCORE | 4-CORE | MXA1MC | MXA602SLB | 4 | | |
| MUL4FXTPRO | 4-PRO | MXAMCAPP | MXA60L | 4 | MXA4.45 | |
| TERYX 2 2014 - UP 2 SEATE | | MACAINIO AT T | MACAGOL | 7 | 111111111111111111111111111111111111111 | |
| RX2CORE | 2-CORE | MXA1MC | MXA602SLB | 8 | | |
| RX2PRO | 2-PRO | MXAMCAPP | MXA60L | 6 | MXA2.140 | |
| RX2PROP | 2-PRO PLUS SUB | MXAMCAPP | MXA60L | 4 | MXA5.600 | SRXS1044 |
| TERYX 4 2014 - UP 4 SEATE | R | | | | | |
| TRX4CORE | 4-CORE | MXA1MC | MXA602SLB | 8 | | |
| TRX4PRO | 4-PRO | MXAMCAPP | MXA60L | 6 | MXA4.45 | |
| TRX4PROP | 4-PRO PLUS SUB | MXAMCAPP | MXA60L | 4 | MXA5.600 | SRXS1044 |
| | TE | XTRON ROOF | AUDIO SOLUTI | ONS | | |
| PROWLER 500 2 SEATER | | | | | | |
| PRW25CORE | 2-CORE | MXA1MC | MXA602SLB | 2 | - | - |
| PROWLER & HDX 700 2 SEA | TER | | | | | |
| PRW27CORE | 2-CORE | MXA1MC | MXA602SLB | 2 | - | - |
| PROWLER 700/1000 4 SEAT | ER | | | | | |
| PRW4CORE | 4-CORE | MXA1MC | MXA602SLB | 2 | | - |
| WILDCAT 700 2 SEATER | | | | | | |
| WLD27CORE | 2-CORE | MXA1MC | MXA602SLB | 2 | | - |
| WILDCAT 1000 2 SEATER 20 | | | | | | |
| WLD21K16CORE | 2-CORE | MXA1MC | MXA602SLB | 2 | | |
| WILDCAT 1000 2 SEATER 20 | | 14741140 | MANA COOK! D | _ | | |
| WLD21K17CORE WILDCAT 1000 4 SEATER | 2-CORE | MXA1MC | MXA602SLB | 2 | | |
| WLD41KCORE | 4-CORE | MXA1MC | MXA602SLB | 4 | | |
| WED4TREORE | | | | | | - |
| | YA | MAHA ROOF | AUDIO SOLUTION | ONS | | |
| VIKING 3 2 SEATER | | | | | | |
| VIK2CORE | 2-CORE | MXA1MC | MXA602SLB | 4 | | |
| /IK2PRO | 2-PRO | MXAMCAPP | MXA60L | 4 | MXA2.140 | |
| VIKING 6 4 SEATER | 1.00= | | MWA | | | |
| /IK4CORE | 4-CORE | MXA1MC | MXA602SLB | 4 | 147477 | |
| | 4-PRO | MXAMCAPP | MXA60L | 8 | MXA4.45 | CDVC10// |
| /IK4PRO | / DDO DLUG GUD | MXAMCAPP | MXA60L | 6 | MXA5.600 | SRXS1044 |
| /IK4PRO /IK4PROP | 4-PRO PLUS SUB | | | | | |
| /IK4PRO /IK4PROP WOLVERINE 2 SEATER | | MYAIMC | MVAGOSCI B | L. | | |
| /IK4PRO /IK4PROP WOLVERINE 2 SEATER WLV2CORE | 2-CORE | MXA1MC | MXA602SLB | 4 | MYA2140 | |
| VIK4PRO VIK4PROP WOLVERINE 2 SEATER WLV2CORE WLV2PRO | 2-CORE 2-PRO | MXA1MC MXAMCAPP | MXA602SLB MXA60L | 4 4 | MXA2.140 | |
| VIK4PRO VIK4PROP WOLVERINE 2 SEATER WLV2CORE WLV2PRO WOLVERINE CREW 4 SEATE | 2-CORE 2-PRO ER | МХАМСАРР | MXA60L | 4 | MXA2.140 | |
| VIK4PRO VIK4PROP WOLVERINE 2 SEATER WLV2CORE WLV2PRO WOLVERINE CREW 4 SEATE WLV4CORE | 2-CORE 2-PRO ER 4-CORE | MXAMCAPP MXA1MC | MXA60L MXA602SLB | 4 | | |
| VIK4PRO VIK4PROP WOLVERINE 2 SEATER WLV2CORE WLV2PRO WOLVERINE CREW 4 SEATE WLV4CORE WLV4PRO | 2-CORE 2-PRO ER 4-CORE 4-PRO | MXAMCAPP MXA1MC MXAMCAPP | MXA60L MXA602SLB MXA60L | 4 4 8 | MXA4.45 | \$PX\$1044 |
| VIK4PRO VIK4PROP WOLVERINE 2 SEATER WLV2CORE WLV2PRO WOLVERINE CREW 4 SEATE WLV4CORE WLV4PRO | 2-CORE 2-PRO ER 4-CORE 4-PRO 4-PRO PLUS SUB | MXAMCAPP MXA1MC MXAMCAPP MXAMCAPP | MXA60L MXA602SLB MXA60L MXA60L | 4 4 8 6 | | SRXS1044 |
| /IK4PRO /IK4PROP WOLVERINE 2 SEATER WLV2CORE WLV2PRO WOLVERINE CREW 4 SEATE WLV4CORE WLV4PRO | 2-CORE 2-PRO ER 4-CORE 4-PRO 4-PRO PLUS SUB | MXAMCAPP MXA1MC MXAMCAPP MXAMCAPP | MXA60L MXA602SLB MXA60L | 4 4 8 6 | MXA4.45 | SRXS1044 |
| /IK4PRO /IK4PROP //IK4PROP //IK4PROP //IK4PROP //IK4PROP //IK4PROP //IK4PROP //IK4PROP //IK4PROP | 2-CORE 2-PRO ER 4-CORE 4-PRO 4-PRO PLUS SUB | MXAMCAPP MXA1MC MXAMCAPP MXAMCAPP HINDRA ROO | MXA60L MXA602SLB MXA60L MXA60L F AUDIO SOLUT | 4 4 8 6 | MXA4.45 | SRXS1044 |
| /IK4PRO /IK4PROP //IK4PROP | 2-CORE 2-PRO ER 4-CORE 4-PRO 4-PRO PLUS SUB | MXAMCAPP MXAIMC MXAMCAPP MXAMCAPP HINDRA ROO MXAIMC | MXA60L MXA602SLB MXA60L MXA60L F AUDIO SOLUT MXA602SLB | 4 8 6 | MXA4.45 MXA5.600 | SRXS1044 |
| VIK4PRO VIK4PROP WOLVERINE 2 SEATER WLV2CORE WLV2PRO WOLVERINE CREW 4 SEATE WLV4CORE WLV4PRO WLV4PROP ROXOR 2 SEATER ROX2CORE ROX2PRO ROX2PROP | 2-CORE 2-PRO ER 4-CORE 4-PRO 4-PRO PLUS SUB | MXAMCAPP MXA1MC MXAMCAPP MXAMCAPP HINDRA ROO | MXA60L MXA602SLB MXA60L MXA60L F AUDIO SOLUT | 4 4 8 6 | MXA4.45 | SRXS1044 SRXS1044 |



Memphis Powersports Kits were designed as a direct fit solution for Side-By-Sides. These kits offer multiple levels of performance allowing you to level up your sound without any custom fabrication required. Kits include everything from a single 2 or 4 speaker set up to a fully amplified 4 speakers system complete with a powered subwoofer allowing your machine to stand out on the trails.





POLARIS RZR:

Front Speakers Fit: 2014-2019 RZR Rear Speakers Fit: 2014-2018 RZR

POLARIS RANGER

Fits 2013-2018 Rangers Plus System (subwoofer) Not Available

POLARIS GENERAL

Fits 2016 and Newer Generals

CANAM X3

Fits 2017-2019 X3 models



COMING SOON KITS AVAILABLE Q2 2020







PERFORMANCE LEVELS

| | | | | - | |
|-------------|-------------------------|------------------------------------|---|---|---|
| ТОР ТҮРЕ | MXAMCAPP SOURCE UNIT | DUAL 6.5" FRONT SPEAKER ENCLOSURES | DUAL 6.5" REAR MXA62PS SPEAKER PODS | 10" SUBWOOFER ENCLOSURE W/ INTEGRATED AMP | UPGRADED 4-CHANNEL FULL RANGE AMP |
| CORE 2 | ✓ | ✓ | | | |
| CORE 2 PLUS | √ | \checkmark | | ✓ | |
| CORE 4 | √ | \checkmark | √ | | |
| CORE 4 PLUS | √ | √ | √ | ✓ | |
| PRO 4 | √ | √ | √ | | ✓ |
| PRO4 PLUS | √ | √ | √ | ✓ | √ |



Harley Davidson OEM direct fit replacement kits includes everything you need to upgrade 2014 + Harley Davidson Street Glide and 2015 + Road Glide audio systems. The marine grade speakers in this kit were engineered for high output to be heard over loud engine noise and at highway speeds. The included amplifiers feature mounting brackets were designed to fit into specific locations on your bike making installation effortless. The included wire harness counters the EQ from the factory head unit sending a flat signal into your amplifier allowing you to achieve superior audio performance from your sound system.







KITS AVAILABLE Q2 2020

features

MXAZ24MC - Multi-Zone Media Center With Subwoofer Control

- Designed for 2014+ Street Glide® 2015" Road Glide® and Tour-Pak
- IP66 weather proof design
- Low profile proprietary film dome tweeter with neodymium magnet
- Tweeter features integrated wave guide for improved low mid-range output
- · Carbon-Fiber reinforced polypropylene Cone
- Santoprene surround
- Santoprene front spider for weather resistance
- High power 35mm voice coil
- · Neodymium ring magnet motor for maximum output
- · High temperature glass reinforced polymer frame to resist corrosion
- Integrated 6dB crossover with high power mylar capacitor
- Grilles for Road Glide, Street Glide and rear Tour-Pack included

mxa Harley Davidson kit

Harley Davidson OEM Direct Fit Speakers Only

MXA62HD 6.5" 4Ω HD Direct Fit Speakers 75/150w

Includes 3 Grilles - Road Glide, Street

Glide, Tour-Pak

Complete Harley Davidson OEM Direct Fit Kit

MXA14HDKIT Includes brackets and wire harness

MXA300.4 Motorcycle Amplifier

MXA300.4 300 Watt 4-Channel Amplifier Mounts directly to amp plate in MXA14HDKIT

Purchase all 3 part numbers for a complete Harley installation Kit!

LL6SA

6-Channel Line Level Adapter

- Six inputs and outputs
- · Signal sensing
- · Remote turn on output
- 9.5v line level output
- · Auto summing
- Remote level for Bass

Aux input





CX23

3-Way Crossover

- 3-way crossover
- · Bandpass capable
- · Includes wired remote level control
- · 7v line level output
- Signal to noise ratio >110
- · THD% 0.0005%



EQL7

7-Band Equalizer

- ½ Din 7 band pre-amp/Graphic EQ
- 8v out
- >96dB S/N ratio
- · Aux input
- · Blue LED backlight



LLD2A

2-Channel Line Level

- 9.5v line level output
- 100 Watts of speaker level input at 4Ω
- Signal sense turn on
- · manual turn on function w/ output
- Wired remote level control Aux input





MEMBX

Bass Expander

- Digital Bass restoration processor
- · Low level inputs
- Max 9.5v output
- Variable Q and Frequency control
- · Remote bass control included







MXAZEQ5BT

Dual Zone 5-Band EQ W/ Bluetooth

- 3 Zone controller with 2 separate 5 band EQs (tower zone and cabin zone)
- · Independent subwoofer level control
- Direct Bluetooth input
- Auxiliary Input
- 6V output
- True Marine Build with conformal coated PCB's and sealed design

MXAEQ7

Marine Grade 7-Bane Equalizer

- ½ Din 7 band pre-amp/Graphic EQ
- 8v out
- >96dB S/N ratio
- Aux input
- White LED backlight
- True marine build w/ conformal coated boards and sealed design









Accurate powerful sound

Enhanced bass response

Effortless pairing

Customizable ergonomic fit

Bountiful battery life

Siri®/Google Assistant™ ready

Hand-free voice recognition

Lightweight design

Stylish case w/ integrated charger

features

- Talk Time: 4+ Hours
- Music Playback Time: 3+ Hour
- Idle Standby Time: 90+ hours
- · Lithium polymer rechargeable battery
- 8 mm dynamic driver
- SIRI & OK GOOGLE compatible
- · Multiple ergonomic ear tips for custom fit
- · Case charges earbuds 4 times when unplugged
- Single button device control (play, pause, skip, SIRI/OK GOOGLE)

mbud air

MBUDAIR

True wireless Bluetooth Earbuds



Memphis Connection has been redesigned with a fresh new look and improved functionality. Maximize system performance and improve the durability of your system with secure quality connections at every point in your installation.



NEW & IMPROVED DESIGN ON ALL MEMPHIS CONNECTION



Quantity

2







DBLOCK

Inputs

Remote Level Control

RVC

NPBAT

| Distri | bution | Block |
|--------|--------|-------|
|--------|--------|-------|

| tribution block | | Remote Level Cont |
|-----------------|----------|-------------------|
| Wire Gauge | Quantity | |

2

| Battery | Termina | l +/- |
|----------------|---------|-------|
| | | |

| Outputs | 4/8 AWG | 4 |
|---------|-----------|----|
| | , renoute | |
| (V | | 60 |
| | (S) | 17 |

0/4 AWG





AFSFB

ANLFB

2FCAPM

Capacitor

| AFS Fuse Holder | | |
|------------------------|------------|--|
| | Wire Gauge | |
| Inputs | 4/8 AWG | |

| | Wire Gauge | Quantity |
|---------|------------|----------|
| Inputs | 4/8 AWG | 1 |
| Outputs | 4/8 AWG | 1 |

| ANL Fuse Holder | | | |
|-----------------|------------|----------|--|
| | Wire Gauge | Quantity | |
| Inputs | 0/4 AWG | 1 | |
| Outputs | 0/4 AWG | 1 | |

| | Wire Gauge |
|-------------------------------|------------|
| Surge Voltage (V) | 20 |
| Capacitance (F) | 2 |
| Distribution Input/ Output | 0/4 AWG |









AMP KITS

Everything you need to install your amplifier in one convenient kit.

| Kit Type | | Amplif | Power Kits | | | |
|------------------|------------|------------|------------|------------|---------|---------|
| Part Number | 0GKIT | 4GKIT | 8GKIT | 10GKIT | 0GPWKIT | 4GPWKIT |
| Power Wire Gage | 0 | 4 | 8 | 10 | 0 | 4 |
| Fuse Holder Type | ANL | ANL | AFS | ATC | ANL | AFS |
| Interconnects | (3) ETP-17 | (2) ETP-17 | (1) ETP-17 | (1) ETP-17 | NONE | NONE |





Memphis wire is made from the highest quality oxygen free copper on the market for superior conductivity and performance. Don't sacrifice the quality of your audio system by using inferior wire.



POWER WIRE AND SPEAKER WIRE

Pure oxygen free copper wire for the unparalleled performance (O= Orange + // B = Black -)

| Part Number | 0FO51 0FB25 | 4FO100 4FB1000 | 8FO250 8FB250 | 16SW250 | 12SW250 | 18REM1000 | 9W100 |
|---------------------|-------------------|-------------------|-------------------|------------------------|------------------------|-------------------------|-------------------------------------|
| Description | 0 AWG PWR Wire | 4 AWG PWR Wire | 8 AWG PWR Wire | 16 AWG Speaker Wire | 12 AWG Speaker Wire | 18 AWG Re- mote Wire | Jacketed 9 Wire 8 - Sprk 1 - Rmt |
| Power Wire Gauge | 0 | 4 | 8 | 16 | 12 | 18 | 18 |
| Length (Ft) | 51/25 | 100 | 250 | 250 | 250 | 1000 | 100 |



NEW & IMPROVED DESIGN ON ALL MEMPHIS CONNECTION



UTPF Professional Grade RCA's

UTPF wire is the highest quality connection available from Memphis. These wires feature Memphis True Twist technology for better noise reduction. The machined metal ends are crafted for a tight precision fit and the single jacket wire casing is soft and mailable making installation simple.

- True Twist paired wires
- · Soft mailable jacket
- Machined Easy-Grip metal ends
- Upgraded shielding





The highest quality professional grade Memphis Connection available

| Part Number | UTPF-1.5 | UTPF-3 | UTPF-7 | UTPF-17 | UTPF-21 | UTPF-17.4 | UTPF-17.6 |
|---------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| # Of Channels | 2 | 2 | 2 | 2 | 2 | 4 | 6 |
| Length (Ft) | 1.5 | 3 | 7 | 17 | 21 | 17 | 17 |
| Ends | Machined Metal |

ETP Performance Grade RCA's

Memphis ETP performance grade wires offer a solid connection and feature molded plastic ends for better grip and usability. Paired twisted wire is utilized for noise reduction.

- Twist paired wires
- Mailable clear frosted jacket
- Easy Grip molded plastic ends





Performance Grade Connection

| Part Number | ETP-1.5 | ETP-3 | ETP-7 | ETP-12 | ETP-17 | ETP-21 | ETP-17.4 | ETP-17.6 | ETP-YM | ETP-YF |
|---------------|---------|---------|---------|---------|---------|---------|----------|----------|---------|---------|
| # Of Channels | 2 | 2 | 2 | 2 | 2 | 2 | 4 | 6 | 1 | 1 |
| Length (Ft) | 1.5 | 3 | 7 | 12 | 17 | 21 | 17 | 17 | 0.5 | 0.5 |
| Ends | PLASTIC | PLASTIC | PLASTIC | PLASTIC |








3.5MM TO 3.5MM & 3.5MM TO RCA

Twisted wire in a frosted flexible jacket with satin nickel connections

| Part Number | UTPF-353 | UTPF-356 | UTPF-35R3 | UTPF-35R6 | UTPF-35R12 |
|-------------|---------------|---------------|-------------|-------------|-------------|
| Connections | 3.5MM - 3.5MM | 3.5MM - 3.5MM | 3.5MM - RCA | 3.5MM - RCA | 3.5MM - RCA |
| Length (Ft) | 3 | 6 | 3 | 6 | 12 |
| Ends | MOLDED | MOLDED | MOLDED | MOLDED | MOLDED |







Powersports Amp Kits

Designed specifically for powersports applications

| Part Number | MXA8GKIT |
|-----------------|----------------|
| Power Wire Gage | 8 |
| Fuse Holder | AFS |
| Interconnects | (1) ETP-6 |
| Speaker Wire | 18 AWG (30 Ft) |

Powersports Power And Speaker Wire

Solutions that withstand the elements and perform in extreme conditions

| Part Number | 8GPG100 | MXA18SW50 | SW16LED120 | SW16LED500 |
|-------------|--------------|---------------|-------------------|----------------|
| Description | Parallel PWR | Parallel SPKR | SPKR + RGB LED | SPKR + RGB LED |
| Wire Gage | 8 | 18 | 16 + 20 | 16 + 20 |
| Wire Length | 100 | 50 | 120 | 500 |
| Material | Tinned OFC | Tinned OFC | Tinned OFC | Tinned OFC |

^{*}OFC = Oxygen Free Copper

Polaris Ride Command & OEM Radio Integration

Establish RCA outputs for Polaris radios to add additional audio components.

| Part Number | MXA10GKIT |
|-------------|--|
| RCDRCA | Adapter connects directly to Polaris Ride Command System |
| POLRCA | Adapter works with Polaris OEM head unit |










New Design - Black on Blue Thermal Foil



True Mat Sound Deadening

Maximize the potential of your audio system with Memphis True Mat

| TMLP License plate - Frame & Mat TMSK Speaker Kit - Two 10 x 10 Sheets TMVK VersaKit - One 18 x 32 Sheet TMBK Bulk Kit - Ten 18 x 36 Sheets | Part Number | Descriptions |
|--|-------------|----------------------------------|
| TMVK VersaKit - One 18 x 32 Sheet | TMLP | License plate - Frame & Mat |
| | TMSK | Speaker Kit - Two 10 x 10 Sheets |
| TMBK Bulk Kit - Ten 18 x 36 Sheets | TMVK | VersaKit - One 18 x 32 Sheet |
| Built He Ten To X 50 Glices | тмвк | Bulk Kit - Ten 18 x 36 Sheets |

True Mat Features

- Butyl based construction Superior flexibility in any climate
- Reduces panel resonance for better sound by reducing road noise
- Industrial grade adhesive bonds to virtually any surface
- Metal shield increases durability and acts as a thermal barrier
- Dense 2mm pad for single layer application

